



Qingdao Kangdeli Industrial & Trading Co.,Ltd

GB/T 19001-2016 idt ISO 9001:2015 CE





Windows & Doors Customization & Solution



Sliding Windows Series

Casement Windows Series

Awning Windows Series

Sliding Doors Series

Swing Doors SEries







Thermal Break Sliding Windows KDLGY80 Series with Double IGU Triple IGU





Thermal Break Sliding Windows KDLGY90 Series with Double IGU Triple IGU





Sliding Windows KDL70E Series with Double IGU Triple IGU







Thermal Break Casement Windows KDLGEM55 Series with Double IGU Triple IGU





KDLGEM55 Thermal Break Casement Windows				
High-end Solution		Commercial Solution		
Aluminium-GEM55	Discription	Aluminium-GEM55	Discription	
Surface Treating	Powder coated ,1.4mm. 10kg/sqm	Surface Treating	Powder coated ,1.4mm. 10kg/sqm	
Glass Type	Triple Insulated Glass with LowE	Glass Type	5mm single temper glass	
Silicone/Strip	Silicone/EPDM Strip	Silicone/Strip	Silicone/EPDM Strip	
Hardware	CMECH/HOPO	Hardware	KINGLONG,GUOQIANG,3H	
Process Cost	Fabrication	Process Cost	Fabrication	
Glass Installation	Assembly in advance	Glass Installation	Assembly in advance	
Package	Crate/Steel holder and paper corner	Package	Crate/Steel holder and paper corner	
Loading & Reinforce	Container & Belt-Brace	Loading & Reinforce	Container & Belt-Brace	





Casement Windows

Sections for KDL55A-1











Aluminium Clad Wood Casement Screen Tilt & Turn Windows KDL92







Outswing Awning Windows Instruction Diagram for KDLCK85 with Double IGU and Triple IGU







Outswing Awning Windows

Instruction Diagram for KDLMD85 with Double IGU Triple IGU







with Double IGU Triple IGU











外







Heavy Sliding Doors

KDLTM130





型材相 Datawing

130

17.2

TT

17

17.2

100

12

62

2.

72

52

F

88

TM130B01

2.899kg/m

TM130B02 0.228kg/m

TM130B02A

0.178kg/m

TM130B03

0.177kg/m

TM130B04

2.551kg/m

TM130B07

0.626kg/m

TM130B07A

0.975kg/m

TM130B08

0.534kg/m

TM130B09

0.294kg/m



Sliding Folding Doors

KDLPM90-4 with Double IGU **Triple IGU**





3



室内





序号 S/N	型号理论准量 JMA Code & KG M	22H Bi Drawing
1	框料 PM9041 2.300kg/m	90 104.3
2	框料 PM9042 2.188kg/m	S. 90
3	框料 PM9043 1.761kg/m	577.0L 90
4	/前科 PM9044 2.062kg/m	8 69 1.8 82
5	扇压线 GR90A16 0.201kg/m	
6	仪口 GR90A18 0.665kg/m	202 21 21
7	收口 GR90A18A 0.438kg/m	23.7 12 12 12 12
8	GR90A18B 0.345kg/m	27.5
9	GR90A18C 0.238kg/m	2 <u>1.6</u> 15.7



Swing Door

KDLPM70-II with Double IGU Triple IGU







Aluminium Handrail

KDLGY5672



JMGY5673

with Safety Glass







Aluminium Handrail KDLJM1298





1



0

3





JMGY1298



Climate zone will affect your choice of windows and glass.

Temperate Region

- Maximize warming effects of the sun in the winter.
- Maximize shade during the summer.
- Deflect winter winds away from buildings with windbreaks of trees and shrubs on the north and northwest side of the house.
- Tunnel summer breezes toward the home.

Hot-Arid Region

- Provide shade to cool roofs, walls, and windows.
- Allow summer winds to access naturally cooled homes.
- Block or deflect winds away from air-conditioned homes.

Hot-Humid Region

- Channel summer breezes toward the home.
- Maximize summer shade with trees that still allow penetration of low-angle winter sun.
- Avoid locating planting beds close to the home if they require frequent watering.



Cool Region

- Use dense windbreaks to protect the home from cold winter winds.
- Allow the winter sun to reach south-facing windows.
- Shade south and west windows and walls from the direct summer sun, if summer overheating is a problem.

Microclimate

The climate immediately surrounding your home is called its microclimate. When landscaping for energy efficiency, it's important to consider your microclimate as well as your regional climate.

Your home's microclimate may receive more sun, shade, wind, rain, snow, moisture, and/or dryness than average local conditions. If your home is located on a sunny southern slope, for example, it may have a warm microclimate, even if you live in a cool region. Or, even though you live in a hot-humid region, your home may be situated in a comfortable microclimate because of abundant shade and dry breezes. Nearby bodies of water may increase your site's humidity or decrease its air temperature. Microclimatic factors also help determine what plants may or may not grow in your landscape.



As long as the window and door detailed requirements, we can provide you with all one-stop service.



We Assemble: Master Frame Windows with Glass Doors with Glass Hardware

We Do: Safety Packaging Loading in Container Reinforcement

You Just Install.









Please Call Us Email Us

No matter when and where Whether on the glass or the doors and windows







Euro & Africa

Tel: (86-532) 8308 5327 • Fax: (86-532) 8275 7985 • E-mail: info@kindlyglass.com Whatsapp:86 188 5322 9077

Middle East

Tel: (86-532) 8275 7907 • Fax: (86-532) 8275 7985 • E-mail: warren@kindlyglass.com Whatsapp:86 138 5322 9077

North, Central & South America

Tel: (86-532) 8308 5325 • Fax: (86-532) 8275 7985 • E-mail: sales@kindlyglass.com Whatsapp:86 187 6626 1362

Oceania & Asia

Tel: (86-532) 8275 7926 • Fax: (86-532) 8275 7985 • E-mail: sophia@kindlyglass.cn Whatsapp:86 186 6985 186

Qingdao Kangdeli Industrial and Trading Co. Ltd Rm 905 Yihe Mansion, 108 Anshan Rd,Qingdao, Shandong 266033, China

9911 🛤